

Hemlock

THE ART OF FLOORING

ELITE COLLECTION With **LOX**[®] - Sweden

NEW RIGID CORE TILES




SHF00180

RIGID CORE Tiles

Talk about creating an everlasting impression. Transform your space with our New Rigid Core Tiles. Our tile collections offer a wide range of options from Stone to Wood finishes. These tiles are meticulously designed for their rich texture and feel to look like real wood and stone. It's innovative Wel-Lock™ technology enables the tiles to be laid on existing floor, effortlessly.

And not just the looks, it's impressive engineering ensures that the floors get all round protection making them completely stain, scratch and wear resistant without compromising on beauty. Easy to clean and maintain, Welspun Flooring Rigid Core tiles are ready for whatever life throws on it.

The finest quality tiles are now even better with Welspun's Cushion Backing (IXPE) which greatly enhances comfort and foot cushion impact. Now walking on these tiles has never been easier for heels and hard leather shoes. With significant reduction in tapping sounds, these tiles also come with GermiProtect™ UV coating that protects the tiles from mold, bacteria and germs.



WHF00027

SPECIFICATIONS

Thickness	4 mm
Wear Layer Thickness	0.5 mm
Plank Sizes	181.102 x 1219.962 mm
Bevel	Micro Bevel
No. of planks/box	10
Total Sqm/box	2.209 m ²

TEST REPORT SUMMARY

TEST METHOD	TEST NAME	RESULT / VALUE
TOP COAT	UV Coated	Yes
ASTM 925	Stain and Chemical Resistance	Pass(Rating - 0,No change)
ASTM F1514	Heat Stability	Pass (Gray scale 4)
ASTM F1914	Indentation	Pass (≤0.18mm)
ASTM F2421	Size and Squariness	Pass (Size 3 0.4mm ; Squareness≤0.25mm)
ASTM E648	Critical Radiant Flux	Pass (Class 1)
ASTM E662	Smoke Density	Pass (< 450)
ASTM C1028	Slip Resistance	Pass (Dry-0.77)
EN13329	Abrasion Resistance	Pass (Wet-0.64)
NALFA 3.4	Stain/Cleanability	Pass (Level A6)
MICRO SCRATCH EN 16094:2012	Micro Scratch Resistance	Pass (Class 4 Heavy commercial)
AATCC 134	Electrostatic Propensity	Pass (MSR -B1)
ISO 23999 ASTM F3261	Curling after Heat	Pass - No residual charge Pass - No Curling after Exposure to heat

LOX[®]

CERTIFIED BY



WEL-LOCK™ TECHNOLOGY



SHF00173



SHF00190



WEL-LOCK™ TECHNOLOGY



SHF00181



SHF00174



WEL-LOCK™ TECHNOLOGY




WHF00027



WHF00029



TRADEMARKS & TECHNOLOGIES



Wel-Lock™

Our Click-N-Lock tiles® come with Wel-Lock™ technology which allows the tiles to fit into one another in a unique locking mechanism. This ensures strong locking at the joints and makes installation a quick and effortless process. It also ensures that you get that beautiful seamless look on the floor. It's not just a lock, its Wel-Lock™!




FloorNdure™

Welspun Flooring's Click-N-Lock Tiles® with FloorNdure™ technology comes with solid durability. It has proven to take on the static weight of a Sports Utility Vehicle weighing 1700 kg without having a blemish on it. Incredible isn't it? With FloorNdure™, our hard flooring really go the distance when it comes to strength and durability. And why not? After all, flooring is where the foundation of a home is.




ScrapeGuard™

Floors in our homes, go through several everyday scratches and scrapes. Welspun Flooring's ScrapeGuard™ technology uses a layer with UV coating on our Click-N-Lock Tiles®, that offers protection to the design underneath from scratches meanwhile retaining the look and longevity of the tile. So, you can say goodbye to the everyday scratches and scrapes.



StainProtect™

Stains and spills are unavoidable on the floors of our homes and some stains can leave behind a permanent mark. But with our StainProtect™ technology, you will leave a lasting impression but not marks. StainProtect™ layer is specially designed to offer superior stain resistance, to keep your floor always clean and sparkling. Now, go and make that splash!



GermiShield™

Health of our loved ones come first. That is why it is very important that we keep our homes clean and germfree. To fight against these invisible forces of nature, Welspun Flooring's Click-N-Lock Tiles® come with innovative GermiShield™ technology, which restricts the growth of harmful germs or molds on the floor. Healthy homes, begin with healthy floors.

ADVANTAGES



Less than a day installation




Can be installed on existing floors



Mix & Match



Water Proof



Stain Protect™



ScrapeGuard™



Fire Resistant



Termite Proof



Weather Proof*




Dust Free Installation



Glue Free



Green Product



Hassle Free Logistics



Easy to Carry



Recyclable



Less Dead Weight

* For indoor use only



WELSPUN FLOORING®
MADE IN INDIA

Available at:

USA | UK | EUROPE | FAR EAST | MIDDLE EAST | INDIA

Hemlock
THE ART OF FLOORING

ELITE COLLECTION

DANUBE HOME

SHF00181